






Version 2



Dimensions (WxDxH): 795×204×457 (mm)

Technical Parameter

Motor Power: 260W


Unrestricted Airflow rating: 1800m³/h

Max Static Pressure: 950Pa

Noise: 44dB(A) 18

Features


- "CFT" smooth air ductBLDC inverter motor
- "4D Fresh" oil fume filtering
- 360° coverage noise reduction
- 18cm ultra-slim body
- "Wave Hello" gesture control
- Source suction control oil fume
- Relase more cabinet space
- Cool and warm dual color light
- 3 colors can match a kinds of kitchen styles




Model **Technical Parameter** Features Installation Dimensions (WxDxH): ■ 18cm Ultra Slim Design 895×203×470(mm) ■ BLDC Inverter Motor Motor Power: ■ Wave Control Sensor 450 260W ■ Closer to Cooking Fume 895 Unrestricted Airflow rating: ■ Turbo Tech increase 40% impeller -850 2500m3/h ■ Auto-Adjust Speed Control Max Static Pressure: ■ 9 Speed Control 1000Pa ■ Switchable Warm & Cool lighting **RANGE HOOD** Noise: ■ Easy to Clean exclusive A++ Filter 77H1S 53dB(A)


































Product Size(WxDxH): 860x510x155(mm) Installation Size(WxD): (710-810)x(400-460)mm Heat Flow (kW): 5.0x2 | 5.0x2 ,1.75x1 Flame Failure Device: YES Panel: Tempered Glass


















Model Technical Parameter **OVEN**

Product Size (WxHxD): 595x595x520 (mm)

Power Rating:

Capacity:


Half Installation Size (WxHxD): 560x590x550 (mm)

Full Installation Size (WxHxD): 600x600x565 (mm)

- 3 layers glass door with 2 of Low-E glass
- 1°C precise control
- 3D roasting tube

Features

- 8 cooking functions
- High-temperature protection
- Durable enamel cavity and trays
- Removable racks
- Easy-to-clean roasting tubes
- Roasting rotisserie
- Fully LCD display & sensor touch control
- Independent top & bottom temperature control



Installation

Model **OVEN**

Product Size (WxHxD): 595x595x520 (mm)

Technical Parameter

Power Rating: 2800W


Capacity:

Half Installation Size (WxHxD): 560x590x550 (mm)

Full Installation Size (WxHxD): 600x600x565 (mm)

Features

- 3-Layer glass door with 2 layers of Low-E-glass
- 3D roasting tube
- 8 cooking functions
- Semi-mechanical feature
- High-temperature protection
- Durable enamel cavity and trays
- Removable racks
- Easy-to-clean roasting tubes



Installation

Model

Technical Parameter

Features

Installation



Product Size (WxHxD): 595x455x520 (mm)

Power Rating: 2100W


Capacity:

Half Installation Size (WxHxD): 560x450x550 (mm)

Full Installation Size (WxHxD): 600x460x565 (mm)

- Medical grade 304# stainless steel inner tank
- Fully LCD display & sensor touch control
- 3D steaming
- 105° powerful steaming
- Smell isolating system
- 8 intelligent of cooking modes
- 1°C precise temperature control

■ Electric external water tank



Model

STEAM OVEN

Technical Parameter

Features

Installation



Product Size (WxHxD): 595x455x520 (mm)


Power Rating:

Capacity:

Half Installation Size (WxHxD): 560x450x550 (mm)

Full Installation Size (WxHxD):


- Medical grade 304# stainless steel inner tank
- 3D steaming
- 105° powerful steaming
- Smell isolating system
- 7 cooking functions
- Electric external water tank
- Smart push up knob





STEAM OVEN


S106

600x460x565 (mm)











Product Size(WxHxD): 530 × 360 × 400 (mm)

Power Rating:

Net Weight:

■ 20 function in 1 machine

Features

■ 3 colors avalible:red,blue,green

■ 3 steam modes: 85°C~95°C, 30°C~100°C, 101°C~150°C


2 professional baking modes: fan bake and steam baking

Air fryer fuction,no grease and smoke,no loss of flavor

■ Multi-stage cooking setup


■ 30 smart recipes


■ 7 helpful functions:defrost,ferment,warm,cleaning, drying, sterilization, descaling



Installation

Model Technical Parameter Features Installation Product Size(WxHxD): ■ Dual-drive roasting double firepower 595×385×388 (mm) ■ Three-gear barbecue mode **Power Rating:** ■ Microwave-roasting dual-firepower combination 1560W ■ Five gears adjustable microwave Capacity: ■ 1000W reheating and thawing function ■ 16 recipes for automatic cooking Half Installation Size (WxHxD): **COMPACT OVEN WITH** ■ "Breathing Ring Light" interactive design 560x380x450 (mm) **MICROWAVE** 28L capacity Full installation Size (WxHxD): CQ935H01 600x395x450 (mm) ■ 304 stainless steel Inner liner ■ 3+2 full-cavity heat dissipation





Model	Technical Parameter	Features	Installation
	Product Size (WxHxD): 598x845x600 (mm) Power Rating: 1760~2100W	 3D washing and drying system Triple filtering system 6 washing modes 12 settings capacity 	with the object closed 598
DISHWASHER W602S W602W	Capacity: 12 Place settings Noise Level: 49dB(A)	Energy Star Rating: ★ ★ ★ Water Star Rating: ★ ★ ★ ★	175 men tra and transfer of the transfer of th



No.1 in global sales for 10 consecutive years





Website

SC Alliance (M) SDN BHD

44-2, JALAN PANDAN 3/2, PANDAN JAYA, 55100 CHERAS KUALA LUMPUR. Tel No: +6016-2992236



MANUFACTURER WARRANTY

All Product General Manufacturer Warranty: 2 years Hood Motor Warranty: 10 years Gas Hob Tempered Glass Warranty: Lifetime** Electric Hob (Ceramic Glass) Warranty: 2 years



*Subjective to Terms & Conditions
*Lifetime warranty subject without external factor (human-made).

