




**ROBAM**  
Enjoy Cooking




Global **No.1** for  
10 Consecutive Years





# 2025 PRODUCT CATALOG



Version 2(M)



Model	Technical Parameter	Features	Installation
<div>Coming Soon</div> <div>NEW</div>  <p><b>RANGE HOOD</b></p> <p><b>51H2S</b></p> <p>*Ducting Panel Height 630–910mm Ducting Panel Depth 324mm</p>	<p><b>Dimensions (WxDxH):</b> <b>896 × 356 × (860–1320)mm</b></p> <p><b>Motor Power:</b> <b>188W</b></p> <p><b>Unrestricted Airflow Rating:</b> <b>2200m³/h</b></p> <p><b>Max Static Pressure:</b> <b>900Pa</b></p> <p><b>Noise:</b> <b>54dB(A)</b></p>  <p>CARBON FILTER</p>	<ul style="list-style-type: none"> <li>Multi-Direction Suction to efficient extract fume from all angles ensure in providing clean kitchen.</li> <li>DC motor</li> <li>Colour Button Touch Screen Panel</li> <li>Wave Control Sensor</li> <li>Dynamic Auto Adjust Speed Mode</li> <li>Sleek and Modern Integrated Long LED Light</li> <li>One Touch Hot Air Auto Cleaning Function</li> <li>Durable Full Black Coating with sleek finish that ease to maintenance</li> </ul>	



Model	Technical Parameter	Features	Installation
<div>Coming Soon</div> <div>NEW</div>  <p><b>RANGE HOOD</b></p> <p><b>51H2</b></p> <p>*Ducting Panel Height 630–910mm Ducting Panel Depth 324mm</p>	<p><b>Dimensions (WxDxH):</b> <b>896 × 356 × (860–1320)mm</b></p> <p><b>Motor Power:</b> <b>330W</b></p> <p><b>Unrestricted Airflow Rating:</b> <b>2000m³/h</b></p> <p><b>Max Static Pressure:</b> <b>480Pa</b></p> <p><b>Noise:</b> <b>55dB(A)</b></p>  <p>CARBON FILTER</p>	<ul style="list-style-type: none"> <li>Multi-Direction Suction to efficient extract fume from all angles ensure in providing clean kitchen.</li> <li>Ease to use of Touch Screen LED Button Panel</li> <li>Soft Double LED lighting</li> <li>One Touch Hot Air Auto Cleaning Function</li> <li>Durable Full Black Coating with sleek finish that ease to maintenance</li> </ul>	



Model	Technical Parameter	Features	Installation
<div>Coming Soon</div> <div>NEW</div>  <p><b>HYBRID HOB</b></p> <p><b>7W1H21</b></p>	<p><b>Product Size(WxDxH):</b> <b>730x430x60(mm)</b></p> <p><b>Built-in Size(AxB):</b> <b>(698–706)x(398–406)mm</b></p> <p><b>Left Zone(Induction):</b> <b>2300W</b></p> <p><b>Right Zone(Ceramic):</b> <b>2200W</b></p> <p><b>Rated Power:</b> <b>2800W</b></p> <p><b>Panel:</b> <b>Black KANGER</b> <b>Ceramic Glass</b></p>	<ul style="list-style-type: none"> <li>9 level of precise fire slide soft touch control</li> <li>Boost function available</li> <li>1– 24 hours timer function</li> <li>Child Lock protection</li> <li>Power Cord length 1.5 meter with 13A plug</li> <li>Residue Heat(H) reminder</li> </ul>	










Model	Technical Parameter	Features	Installation
 <p><b>RANGE HOOD</b> A862</p>	<p><b>Dimensions (WxDxH):</b> 895 × 512 × 695 (mm)</p> <p><b>MotorPower:</b> 220W</p> <p><b>Unrestricted Airflow Rating:</b> 2000m³/h</p> <p><b>Max Static Pressure:</b> 410Pa</p> <p><b>Noise:</b> 54dB(A)</p> <p>180mm</p>	<ul style="list-style-type: none"> <li>■ Dual-cavity &amp; dual-suction design</li> <li>■ Dual-cavity negative-pressure outreach</li> <li>■ Absorbing smokes in all directions</li> <li>■ Dual-core 5.0 system</li> <li>■ Upgrading dismantling and cleaning-free</li> <li>■ Highly-matched engine depth</li> <li>■ 60 seconds delayed shutdown</li> <li>■ Low-noise operation, quiet and considerate</li> <li>■ Rounded corners on both sides of the fuselage</li> </ul>	

Model	Technical Parameter	Features	Installation
 <p><b>RANGE HOOD</b> A851</p>	<p><b>Dimensions (WxDxH):</b> 895 × 505 × 537 (mm)</p> <p><b>Motor Power:</b> 200W</p> <p><b>Unrestricted Airflow Rating:</b> 1800m³/h</p> <p><b>Max Static Pressure:</b> 360Pa</p> <p><b>Noise:</b> 55dB(A)</p> <p>180mm</p>	<ul style="list-style-type: none"> <li>■ 360° tornadic collection and exhaustion of fume</li> <li>■ Non-disassembly and wash free</li> <li>■ A++ filter</li> <li>■ 1 min delay power off function</li> </ul>	

Model	Technical Parameter	Features	Installation
 <p><b>RANGE HOOD</b> A676</p>	<p><b>Dimensions (WxDxH):</b> 895 × 410 × 551 (mm)</p> <p><b>Motor Power:</b> 260W</p> <p><b>Unrestricted Airflow Rating:</b> 2100m³/h</p> <p><b>Max Static Pressure:</b> 460Pa</p> <p><b>Noise:</b> 47dB(A)</p> <p>180mm</p>	<ul style="list-style-type: none"> <li>■ Large suction with the airflow rate up 2100m³/h</li> <li>■ 47dB low noise</li> <li>■ High performance filter with the high efficiency separation of oil and smoke</li> <li>■ Stir fry by waving your hand</li> <li>■ High performance motor brings 460Pa wind pressure</li> </ul>	

Model	Technical Parameter	Features	Installation
 <p><b>RANGE HOOD</b> A670</p>	<p><b>Product Size (WxDxH):</b> 895 × 399 × 548 (mm)</p> <p><b>Motor Power:</b> 220W</p> <p><b>Unrestricted Airflow Rating:</b> 2010m³/h</p> <p><b>Maximum Static Pressure:</b> 430Pa</p> <p><b>Noise:</b> ≤ 57dB(A)</p> <p>180mm</p>	<ul style="list-style-type: none"> <li>■ Strong Core Absorber 5.0 fan system</li> <li>■ Strong power as well as 360° quick absorption of fume</li> <li>■ Easily removable A++ oil-filter</li> <li>■ Oil cup with large capacity</li> <li>■ Waving sensor</li> </ul>	

Model	Technical Parameter	Features	Installation
 <p><b>GAS HOB</b> B272</p>	<p><b>Product Size(WxDxH):</b> 780×450×130 (mm)</p> <p><b>Installation Size(WxD):</b> (650-710)×(350-400)mm</p> <p><b>Heat Flow (kW):</b> 5.0x2</p> <p><b>Flame Failure Device:</b> YES</p> <p><b>Panel:</b> Tempered Glass</p>	<ul style="list-style-type: none"> <li>Flexible cut-out size replace the cooktop freely</li> <li>5kW efficient firepower</li> <li>Detachable design</li> <li>High quality copper burner</li> <li>Non-slip serrated pan support</li> <li>Enamel water tray</li> <li>0 second delayed ignition</li> <li>Flame failure protection device</li> </ul>  	

Model	Technical Parameter	Features	Installation
 <p><b>GAS HOB</b> B276</p>	<p><b>Product Size(WxDxH):</b> 760x450x135 (mm)</p> <p><b>Installation Size(WxD):</b> 650x350 (mm)</p> <p><b>Heat Flow (kW):</b> 4.4x2</p> <p><b>Flame Failure Device:</b> YES</p> <p><b>Panel:</b> Tempered Glass</p>	<ul style="list-style-type: none"> <li>4.4kW firepower</li> <li>Four-ring flame from the inside</li> <li>Four sets of oxygen aeration grooves, making cooking more sufficiently</li> <li>Flame failure protection</li> </ul> 	

**No.1 in global sales for 10 consecutive years**



Website



Facebook

**SC Alliance (M) SDN BHD**

44-2, JALAN PANDAN 3/2, PANDAN JAYA, 55100 CHERAS KUALA LUMPUR.

Tel No: +6016-2992236



#### MANUFACTURER WARRANTY

All Product General Manufacturer Warranty: 2 years

Hood Motor Warranty: 10 years

Gas Hob Tempered Glass Warranty: Lifetime\*\*

Electric Hob (Ceramic Glass) Warranty: 2 years

\*Subjective to Terms & Conditions

\*\*Lifetime warranty subject without external factor (human-made).

**ROBAM**  
Enjoy Cooking